

Air Cleaner Assemblies

The 14" race-ready air cleaners come with 5-1/8" neck flanges to fit most 4 barrel carburetors, and come in four element heights to fit a wide range of applications.



The standard fourteen inch air cleaner raises the element base 9/16" above the carburetor flange and includes vent kit. The Drop-Base air cleaner lowers the filter base 1-1/4" below the carburetor flange. The 11 inch air cleaners come in three flange sizes to fit a variety of carburetors. Total height is the minimum clearance required above the carburetor flange. All assemblies include an air filter element. Order by complete assembly part number.

11" Standard

Neck Flange (in.)	Element Height (in.)	Element P/N	Total Height (in.)	Complete Assembly P/N
2-5/8	2-5/8	432-E-1200	3-1/8	432-60-1130
2-5/8	2-5/8	432-E-1250	4-1/2	432-60-1140
4-7/32	4-7/32	432-E-1250	4-1/2	432-60-1160
5-1/8	5-1/8	432-E-1200	3-1/8	432-60-1170
5-1/8	5-1/8	432-E-3680	6	432-60-1190
5-1/8	5-1/8	432-E-3680	6	432-60-1200
5-1/8	5-1/8	432-E-3690	7	432-60-1210
5-1/8	5-1/8	432-E-3690	7	432-60-1220

14" Standard

Element Height (in.)	Element P/N	Total Height (in.)	Complete Assembly P/N
2-1/4	432-E-3740	3-7/8	432-60-1263
3	432-E-1650	4-5/8	432-60-1264
4	432-E-3750	5-5/8	432-60-1260
5	432-E-3760	6-5/8	432-60-1270

14" Drop Base

Element Height (in.)	Element P/N	Total Height (in.)	Complete Assembly P/N
3	432-E-1650	2-3/4	432-60-1280
4	432-E-3750	3-3/4	432-60-1290
5	432-E-3760	4-3/4	432-60-1300
6	432-E-3770	5-3/4	432-60-1310

Pre-Cleaner Wraps

Airforce Precleaner Wrap


This wrap is specifically designed to extend the service interval of your K&N air cleaner when used in dusty conditions. They are made of large, open cell foam. This precleaner will stop 90% of incoming dirt, yet only increase intake restriction by 2%. May be used with any air cleaner oil. Cleans with soap or solvent. The Airforce comes in a variety of sizes to fit most any air cleaner, and cost from \$10 to \$30, depending on the application.



Please call for details and ordering information.

Precharger Filter Wraps


Like the Airforce, the Precharger is designed to extend the service interval of your air cleaner when used in dusty conditions. Made of a thin yet durable polyester material, these prefilters will stop particles as small as 0.005", yet only increase restriction by 10%. They come in four colors in a variety of sizes to fit almost any air cleaner application.



Please call for details and ordering information.

Competition Air Cleaner

Super quality Fabric Flo uses a special fabric to provide you thousands of miles of off-road use. The safety of your engine is insured by its large capacity and long life. The super strong housing will not break or bend, preventing leaks in and around the filter. Available in two-barrel and stock models. A must for competition. Use adapter 135-1530 or 135-1531 to install air cleaner.



- 135-1526 Competition A/C with Gauze Element, 2-5/8"
- 135-1527 Competition A/C w/ Gauze Element 2"
- 135-1528 Replacement Gauze Element, Fits 135-1526/27



- 135-1521 Two-Stage Competition A/C, 2-5/8
- 135-1524 Two-Stage Competition A/C, 2"
- 135-1522 Repl. Outer Element
- 135-1523 Repl. Inner Element
- 135-1573 Special Oil Compound, 2 oz.

Two-Stage Air Cleaner

Special housing encloses two filters for filtering in the worst conditions. Outer filter is of paper design and traps 99% of all dirt particles. Inner filter unit is special foam which, when treated with our special compound (p.n. 135-1573), removes even the finest dust particles so that only clean air enters the engine. This two-stage effect is suitable for all types of dirt, dust, moisture, sand and other impurities. Heavy dusty construction of base unit allows two-barrel carb mounting or stock mounting. This air cleaner is sure-fire protection for off-road racing. Complete with oil base compound. Use adapter 135-1530 or 135-1531 to install air cleaner.

Air Cleaner Adapters

Mounting of Competition air cleaners directly to the carburetor is easily accomplished with these easy to use rubber adapters. Allows A/C to be mounted high enough to clear shroud. Reinforced construction offers positive seal for all off-road conditions. Includes clamps.



- 135-1530-13 A/C Adapter 2"
- 135-1531-13 A/C Adapter, 2-5/8"



A.J. Denunzio negotiates the silt bed at "The Oasis".
Here is a good example of why a good airfilter is critical - for both driver and vehicle!
San Felipe 250, '94
2nd Place Overall



800-622-3939

Tech Line: 805-683-1211
www.denunzioracing.com

K&N Filtered Crankcase Breathers

Designed for engines needing maximum crankcase breathing filtration. Tower design saves blowby oil while relieving case pressure. Hi-capacity filter element stops dirt from reaching oil supply when decelerating. Features three 3/8" NPT outlets for braided hose fittings. Cover diameter and height: 3-1/2" X 4". Element Diameter and Height: 3-1/2" X 3-1/2".



432-62-1400 Tower Base Crankcase Vent Filter
432-RE-0280 Replacement Element

Direct Mount Universal Clamp-On Style Crankcase Vent Filters

Filters clamp directly to vent tubes on valve covers or crankcase. Ideal for all engines, transmissions, oil and gas tanks.



Clamp-on Vent Size (in.)	Filter Diameter (in.)	Filter Height (in.)	Rubber-Top P.N.	Chrome-Top P.N.
5/16	1-3/8	1-1/8	--	432-62-2470
9/16	1-3/8	1-1/8	--	432-62-2480
3/8	2	1-1/2	--	432-62-1320
1/2	2	1-1/2	--	432-62-1330
5/8	2	1-1/2	--	432-62-1340
3/4	2	1-1/2	--	432-62-1360
1	2	1-1/2	--	432-62-1370
1	3	2-3/8	432-62-1410	432-62-1420
1-1/4	3	2-1/2	432-62-1380	432-62-1390
1-3/8	3	2-1/2	432-62-1430	432-62-1440
1-1/2	3	2-1/2	432-62-1450	432-62-1460
1-3/4	3	2-1/2	432-62-1470	432-62-1480

432-85-1050 Universal 1/2" Valve Cover Vent Adapter. Requires drilling 5/8" hole in valve cover.

Universal Valve Cover Vent Filters

Push-In Filters for GM-style valve covers with rubber oil-fill plugs.



432-62-1516 Universal Push-in
432-62-1490 Universal Push-in (No Shield)

Clamp-on to existing vent tubes. Size indicates vent flange diameter.



Part #	Size (in.)
432-62-1511	1
432-62-1512	1-1/4
432-62-1513	1-3/8
432-62-1514	1-1/2
432-62-1515	1-3/4

Steel base with steel vent tube. Zinc plated. Push-in to existing valve cover smog tube grommets. Size indicates grommet I.D.



Part #	Size (in.)
432-62-1517	1/2
432-62-1518	5/8
432-62-1519	3/4
432-62-1520	1



Crankcase Vent Air Filters

For competition and off-road use, these steel-base crankcase vent filters have vent tubes swedged into base. One piece design with rubber or chrome top. Mounts into valve cover rubber grommets. Filters with mounting studs may be remote mounted, but require vent hose and clamp.

Hose Fitting Vent Size (in.)	2" Dia., 1-1/2" Ht. Rubber Top Part #	3" Dia., 2" Ht. Rubber Top Part #	2" Dia., 1-1/2" Ht. Zinc Top w/Stud Part #	3" Dia., 2" Ht. Chrome Top Part #
3/8	432-62-1000	--	432-62-1090	--
1/2	432-62-1010	432-62-1050	432-62-1100	432-62-1140
5/8	432-62-1020	432-62-1060	432-62-1110	432-62-1150
5/8	432-62-1250	--	432-62-1300	--
3/4	432-62-1030	432-62-1070	432-62-1120	432-62-1160
1	432-62-1040	432-62-1080	432-62-1130	432-62-1170

K&N Air Filter Oil and Cleaner

These products have been specially designed to work with K&N air filters. K&N Air Filter Oil is formulated to quickly penetrate the filter pleats and remain in suspension. Saturation is maintained until the element is cleaned. K&N Air Filter Cleaner and Degreaser cleans both foam and cotton-type filter elements. It works to dissolve oily dirt buildup, and can be washed away with water. Biodegradable, it is safe on paint, chrome, aluminum, plastic, rubber, and vinyl when used as directed.

Air Filter Oil

- 432-99-0504** Aerosol Can, 6 oz.
- 432-99-0516** Aerosol Can, 12 oz.
- 432-99-0533** Squeeze Bottle, 8 oz.
- 432-99-0551** Refill Bottle, 1 gal.

Air Filter Cleaner & Degreaser

- 432-99-0621** Squirt Bottle, 32 oz.
- 432-99-0635** Refill Bottle, 1 gal.
- 432-99-0640** Refill Pail, 5 gal.



K&N Sealing Grease

K&N Sealing Grease provides an airtight fit around sealing surfaces on most types of air filter elements. It resists heat and will not melt and run off. Not to be used on clamp-on filter elements

- 432-99-0704** Filter Sealing Grease, 6 oz. Tube



800-622-3939

Tech Line: 805-683-1211

www.denunzioracing.com